




FRACTIONAL H.P.V-BELTS

FAST V-Belts are built for maximum tension control, drive uniformity and long life, with minimum heat built-up and stretching on low horsepower electric motors and gasoline engines. They are designed for high speed operation, and drive center distances as short as pulleys will allow.



3L Sizes	
Part No.	Outside- Length (in)
F14043L150	15"
F14043L160	16"
F14043L170	17"
F14043L180	18"
F14043L190	19"
F14043L200	20"
F14043L210	21"
F14043L220	22"
F14043L230	23"
F14043L240	24"
F14043L250	25"
F14043L260	26"
F14043L270	27"
F14043L280	28"
F14043L290	29"
F14043L300	30"
F14043L310	31"
F14043L320	32"
F14043L330	33"
F14043L340	34"
F14043L350	35"
F14043L360	36"
F14043L370	37"
F14043L380	38"
F14043L390	39"
F14043L400	40"
F14043L410	41"
F14043L420	42"
F14043L430	43"
F14043L440	44"
F14043L450	45"
F14043L460	46"
F14043L470	47"
F14043L480	48"
F14043L490	49"
F14043L500	50"
F14043L510	51"
F14043L520	52"
F14043L530	53"
F14043L540	54"
F14043L550	55"
F14043L560	56"
F14043L570	57"
F14043L580	58"
F14043L590	59"
F14043L600	60"
F14043L610	61"
F14043L620	62"
F14043L630	63"


4L Sizes			
Part No.	Outside Length (in)	Part No.	Outside Length (in)
F14044L170	17"	F14044L610	61"
F14044L180	18"	F14044L620	62"
F14044L190	19"	F14044L630	63"
F14044L200	20"	F14044L640	64"
F14044L210	21"	F14044L660	66"
F14044L220	22"	F14044L670	67"
F14044L230	23"	F14044L680	68"
F14044L240	24"	F14044L700	70"
F14044L250	25"	F14044L650	65"
F14044L260	26"	F14044L660	66"
F14044L270	27"	F14044L670	67"
F14044L280	28"	F14044L680	68"
F14044L290	29"	F14044L690	69"
F14044L300	30"	F14044L700	70"
F14044L310	31"	F14044L710	71"
F14044L320	32"	F14044L720	72"
F14044L330	33"	F14044L730	73"
F14044L340	34"	F14044L740	74"
F14044L350	35"	F14044L750	75"
F14044L360	36"	F14044L760	76"
F14044L370	37"	F14044L770	77"
F14044L380	38"	F14044L780	78"
F14044L390	39"	F14044L790	79"
F14044L400	40"	F14044L800	80"
F14044L410	41"	F14044L810	81"
F14044L420	42"	F14044L820	82"
F14044L430	43"	F14044L830	83"
F14044L440	44"	F14044L840	84"
F14044L450	45"	F14044L850	85"
F14044L460	46"	F14044L860*	86"
F14044L470	47"	F14044L870*	87"
F14044L480	48"	F14044L880*	88"
F14044L490	49"	F14044L890*	89"
F14044L500	50"	F14044L900*	90"
F14044L510	51"	F14044L910*	91"
F14044L520	52"	F14044L920*	92"
F14044L530	53"	F14044L930*	93"
F14044L540	54"	F14044L940*	94"
F14044L550	55"	F14044L950*	95"
F14044L560	56"	F14044L960*	96"
F14044L570	57"	F14044L970*	97"
F14044L580	58"	F14044L980*	98"
F14044L590	59"	F14044L990*	99"
F14044L600	60"	F14044L1000*	100"

5L Sizes			
Part No.	Outside Length (in)	Part No.	Outside Length (in)
F14045L230	23"	F14045L620	62"
F14045L240	24"	F14045L630	63"
F14045L250	25"	F14045L640	64"
F14045L260	26"	F14045L650	65"
F14045L270	27"	F14045L660	66"
F14045L280	28"	F14045L670	67"
F14045L290	29"	F14045L680	68"
F14045L300	30"	F14045L690	69"
F14045L310	31"	F14045L700	70"
F14045L320	32"	F14045L710	71"
F14045L330	33"	F14045L720	72"
F14045L340	34"	F14045L730	73"
F14045L350	35"	F14045L740	74"
F14045L360	36"	F14045L750	75"
F14045L370	37"	F14045L760	76"
F14045L380	38"	F14045L770	77"
F14045L390	39"	F14045L780	78"
F14045L400	40"	F14045L790	79"
F14045L410	41"	F14045L800	80"
F14045L420	42"	F14045L810	81"
F14045L430	43"	F14045L820	82"
F14045L440	44"	F14045L830	83"
F14045L450	45"	F14045L840	84"
F14045L460	46"	F14045L850	85"
F14045L470	47"	F14045L860	86"
F14045L480	48"	F14045L870	87"
F14045L490	49"	F14045L880	88"
F14045L500	50"	F14045L890	89"
F14045L510	51"	F14045L900	90"
F14045L520	52"	F14045L910	91"
F14045L530	53"	F14045L920	92"
F14045L540	54"	F14045L930	93"
F14045L550	55"	F14045L940	94"
F14045L560	56"	F14045L950	95"
F14045L570	57"	F14045L960	96"
F14045L580	58"	F14045L970	97"
F14045L590	59"	F14045L980	98"
F14045L600	60"	F14045L990	99"
F14045L610	61"	F14045L1000	100"
*All belts are smooth			



MULTIPLE V-BELTS

For multiple drive, high speed and high torque operation on light or heavy industrial or automotive machinery - FAST Multiple V-Belts boast exceptional length stability and drive uniformity. Rigorous testing has shown these Premium Quality Belts to have twice the service life and significantly greater transmission capacity than most other multiple V-Belts.



A Sizes			
Fast PN	Outside Length (In)	Fast PN	Outside Length (In)
F1402A20	22	F1402A65	67
F1402A21	23	F1402A66	68
F1402A22	24	F1402A67	69
F1402A23	25	F1402A68	70
F1402A24	26	F1402A69	71
F1402A25	27	F1402A70	72
F1402A26	28	F1402A71	73
F1402A27	29	F1402A72	74
F1402A28	30	F1402A73	75
F1402A29	31	F1402A74	76
F1402A30	32	F1402A75	77
F1402A31	33	F1402A76	78
F1402A32	34	F1402A77	79
F1402A33	35	F1402A78	80
F1402A34	36	F1402A79	81
F1402A35	37	F1402A80	82
F1402A36	38	F1402A81	83
F1402A37	39	F1402A82	84
F1402A38	40	F1402A83	85
F1402A39	41	F1402A84	86
F1402A40	42	F1402A85	87
F1402A41	43	F1402A86	88
F1402A42	44	F1402A87	89
F1402A43	45	F1402A88	90
F1402A44	46	F1402A89	91
F1402A45	47	F1402A90	92
F1402A46	48	F1402A91	93
F1402A47	49	F1402A92	94
F1402A48	50	F1402A93	95
F1402A49	51	F1402A94	96
F1402A50	52	F1402A95	97
F1402A51	53	F1402A96	98
F1402A52	54	F1402A97	99
F1402A53	55	F1402A98	100
F1402A54	56	F1402A105	107
F1402A55	57	F1402A110	112
F1402A56	58	F1402A112	114
F1402A57	59	F1402A120	122
F1402A58	60	F1402A128	130
F1402A59	61	F1402A136	138
F1402A60	62	F1402A144	146
F1402A61	63	F1402A158	160
F1402A62	64	F1402A173	175
F1402A63	65	F1402A180	182
F1402A64	66		


B Sizes					
Fast PN	Outside Length (In)	Fast PN	Outside Length (In)	Fast PN	Outside Length (In)
F1402B25	28	F1402B70	73	F1402B195	198
F1402B26	29	F1402B71	74	F1402B210	213
F1402B27	30	F1402B72	75	F1402B225	228
F1402B28	31	F1402B73	76	F1402B240	243
F1402B29	32	F1402B74	77	F1402B255	258
F1402B30	33	F1402B75	78	F1402B270	273
F1402B31	34	F1402B76	79	F1402B285	288
F1402B32	35	F1402B77	80	F1402B300	303
F1402B33	36	F1402B78	81	F1402B315	318
F1402B34	37	F1402B79	82	C Sizes	
F1402B35	38	F1402B81	84	Fast PN	Outside Length (In)
F1402B36	39	F1402B82	85	F1402C51	55
F1402B37	40	F1402B83	86	F1402C60	64
F1402B38	41	F1402B84	87	F1402C68	72
F1402B39	42	F1402B85	88	F1402C75	79
F1402B40	43	F1402B86	89	F1402C81	85
F1402B41	44	F1402B87	90	F1402C85	89
F1402B42	45	F1402B88	91	F1402C90	94
F1402B43	46	F1402B89	92	F1402C96	100
F1402B44	47	F1402B90	93	F1402C105	109
F1402B45	48	F1402B91	94	F1402C109	113
F1402B46	49	F1402B92	95	F1402C112	116
F1402B47	50	F1402B93	96	F1402C115	119
F1402B48	51	F1402B94	97	F1402C120	124
F1402B49	52	F1402B95	98	F1402C128	132
F1402B50	53	F1402B96	99	F1402C136	140
F1402B51	54	F1402B97	100	F1402C144	148
F1402B52	55	F1402B100	103	F1402C150	154
F1402B53	56	F1402B101	104	F1402C158	162
F1402B54	57	F1402B103	106	F1402C162	166
F1402B55	58	F1402B105	108	F1402C173	177
F1402B56	59	F1402B108	111	F1402C180	184
F1402B57	60	F1402B111	114	F1402C195	199
F1402B58	61	F1402B112	115	F1402C210	214
F1402B59	62	F1402B120	123	F1402C225	229
F1402B60	63	F1402B124	127	F1402C240	244
F1402B61	64	F1402B128	131	F1402C255	259
F1402B62	65	F1402B133	136	F1402C270	274
F1402B63	66	F1402B136	139	F1402C285	289
F1402B64	67	F1402B144	147	F1402C300	304
F1402B65	68	F1402B158	161	F1402C315	319
F1402B66	69	F1402B162	165	F1402C330	334
F1402B67	70	F1402B173	176	F1402C345	349
F1402B68	71	F1402B180	183	F1402C360	364
F1402B69	72			F1402C390	394
				F1402C420	424
				F1402C450	454
				F1402C480	484



NARROW V-BELTS COGGED

The unique design and superior quality of the FAST Narrow V-Belt allow you to build or redesign drive systems using smaller pulleys, with shorter center distances (reducing system weight and space) and increased horsepower capacity (exceeding RMA standards by 23.6% average).

NOTE: The FAST Narrow V-Belt in three section sizes is ideal for all applications covered by five section sizes of multiple V-belts. For multiple or single drives, the 3V replaces A, B, and C belts; the 5V replaces C and D belts; and the 8V replaces D and E belts.



3 V Sizes	
Fast PN	Outside Length (In)
F14033VX250	25
F14033VX265	26.5
F14033VX280	28
F14033VX300	30
F14033VX315	31.5
F14033VX335	33.5
F14033VX355	35.5
F14033VX375	37.5
F14033VX400	40
F14033VX425	42.5
F14033VX450	45
F14033VX475	47.5
F14033VX500	50
F14033VX530	53
F14033VX560	56
F14033VX600	60
F14033VX630	63
F14033VX670	67
F14033VX710	71
F14033VX750	75
F14033VX800	80
F14033VX850	85
F14033VX900	90
F14033VX950	95
F14033VX1000	100
F14033VX1060	106
F14033VX1120	112
F14033VX1250	125
F14033VX1320	132
F14033VX1400	140

5 V Sizes	
Fast PN	Outside Length (In)
F14035V2120	212
F14035V2240	224
F14035V2360	236
F14035V2500	250
F14035V2650	265
F14035V2800	280
F14035V3000	300
F14035V3150	315
F14035V3350	335
F14035V3550	355
F14035VX500	50
F14035VX530	53
F14035VX560	56
F14035VX600	60
F14035VX630	63
F14035VX670	67
F14035VX710	71
F14035VX750	75
F14035VX800	80
F14035VX850	85
F14035VX900	90
F14035VX950	95
F14035VX1000	100
F14035VX1120	112
F14035VX1180	118
F14035VX1250	125
F14035VX1320	132
F14035VX1400	140
F14035VX1500	150
F14035VX1600	160
F14035VX1700	170
F14035VX1800	180
F14035VX1900	190
F14035VX2000	200

810 15 1410 00
01 2015